HP LaserJet Pro MFP 3101fdw Printer



Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.

Get fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: www.hp.com/learn/ds



Fast two-sided printing



HP Web Jetadmin





End to end security

Powerful productivity.

- Support your small workteams with this laser printer, designed for up to 7 users.
- Print more efficiently. You can save time, paper, and costs with duplex speeds at 35 ppm. $^{\rm 1}$
- Get productivity in the palm of your hand. Print, scan, and save time with Shortcuts from HP Smart. ²

Seamless management.

- Centralize your print management. HP Web Jetadmin makes it easy with its suite of features. ⁴
- Set up your printers quickly. Streamlined setup makes it easy to set up and get back to business.
- Help protect your printer. Self-heal Wi-Fi detects anomalies and reboots automatically to prior safe state.

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager. ⁹

Hassle-free supplies management with Instant Ink.

- Enroll to save on Original HP Toner with Instant Ink. Get toner, delivery and recycling. 7,10,11
- Never run out of toner with Instant Ink for laser.¹²
- With Instant Ink, get toner automatically delivered to workers or offices all on one consolidated bill. 11
- With Instant Ink, you get to select the right plans for each of your printers. Change or cancel at any time. 13



Product walkaround

HP LaserJet Pro MFP 3101fdw Printer

- 1. Built for the small workteams of up to 7 users
- 2. Pre-configured security settings
- 3. Automatic 2-sided printing
- 4. Fast printing, up to 33 ppm A4, 250-sheet standard paper capacity
- 5. Dual-band WiFi® with self heal, USB and Ethernet
- 6. Cassette type input tray



Accessories, Supplies and Support

Supplies	W1380A HP 138A Black Original LaserJet Toner Cartridge (Average cartridge yields 1,500 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1380X HP 138X High Yield Black Original Laser Jet Toner Cartridge (Average cartridge yields 4,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	UH773E HP 3 Year Onsite Exchange Service For LaserJet Printers UH757E HP 3 Year Next Business Day Exchange Service For LaserJet Printers

Technical specifications

	IS .
Model	HP LaserJet Pro MFP 3101fdw Printer
Product number	36628F
Functions	Print, copy, scan, fax
Control panel	2.7" CGD; Touch Screen; 3 LED buttons (Back, Home, Info)
Print	
Print technology	Läser
Print speed ⁵	Black (A4, normal): Up to 33 ppm; Black (A4, duplex): Up to 20 ipm
First page out ⁵ Print resolution	Black (A4, ready): As fast as 7.0 sec; Black (A4, sleep): As fast as 8.7 sec Black (best): Up to 1200 x 1200 dpi; Technology: 600dpi with Resolution Enhancement technology (REI); ProRes 1200
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthly page volume: 350 to 2500 pages
Printer smart software features	Automatic duplex, Easy Obells, Scan Destinations, Smart security, Print always work.
Standard print languages	PCLS; PCLS; PS; PCLMS; PDVG; PUR; PVG; PCLM
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 207 x 348 mm
Duplex printing	Automatic (standard)
Сору	
Copy speed	Black (A4): Up to 33 cpm
Copier specifications	Number of Copies; Lighter/Darker; Enhancements; Binding Margin; Paper; Multi-Page Copy; Collation; Quality; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	The state of the s
Scan speed ⁸	Normal (A9): Up to 19 ppm (b8w), up to 8 ppm (color)
Scan file format	JPG, TIFF, XPS, PDF, PDF/A Scanner type ADF, flatbed; Scan technology: CIS, Scan input modes: HP Smart App; and user applications via Twain; Twain version: Version 2.1; Duplex ADF scanning: No; Optical scan resolution: Up to 300 dpi (color and mono, ADF); Up to
Scanner specifications	Scanner type Aut, nations, Scan rectinology, U.S. Scan input modes. Hir Smart App; and user applications via Iwan; Iwan version 2.1; Jupiex Aur-scanning No; Uptical scan resolution: Up to 300 diplication and monol, Autor, Up to 100 diplication and monol, Autor, Up to 100 diplications.
Recommended monthly scan volume	150 to 1500
Scannable area	Maximum media size (flatbed): 216 x 297 mm ;Minimum media size (ADF): 148 x 210 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to email; Scan to PDF
Fax	V-
Fax ³ Fax specifications	Yes Fax memony: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpt; Fine: Up to 203 x 196 dpt; Superfine: Up to 300 x 300 dpt; Quick dialing: Up to 200 numbers
Processor speed	800 MHz
Connectivity	000 1912
Standard	2 Hi-Speed USB 2.0 (device); Ethernet 10/100 BT; Wireless 802.11b/g/n, Dual band 2.4GHz/5GHz
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wireless Direct Printing
Supported network protocols	TCP/IP: IP-V4; IP-V6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutolP; WINS; SNMP v 1/2/3; and HTTP/HTTPS
Network capabilities	10/100Mbps Ethernet; Wireless 802.11b/g/n, Dual band 2.4GHz/SGHz.
Hard disk	no hard disk
Memory	Standard: 512 MB; Maximum: 512 MB
Media handling	To a control of the c
Number of paper trays	Standard 1, Maximum 1 Main Tray
Media types	Paper (Cut sheets, plain, glossy film, labels), envelopes, card stock, postcards Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); Oficio (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L9x13 cm; 10x15cm; Japanese
Media size	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADF: A4; LTR; LGL
Media handling	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL AOF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray
	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope Ch 4DF: A4; LTR; LGL
Media handling Media weight Input capacity	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets
Media handling Media weight	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 610 to 163 /m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard; 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets
Media handling Media weight Input capacity	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope DL ADF: A4; LTR; LGL Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADF: Standard, 50 sheets
Media handling Media weight Input capacity Output capacity Compatible operating systems	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADP: A4; LTR; LGL Standard Input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 G8 available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 G8 HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, (SP1), Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 G8 available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey.; 2 G8 HD; Internet required; Limux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing.
Media handling Media weight Input capacity Output capacity Compatible operating systems	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope DL ADP: A4; LTR; LGL Standard Input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 G8 available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 G8 HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, (SP1), Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux-For more information see http://developers.hp.com/hp-linux-
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope D. ADP. A4; LTR; LGL Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray 60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 5P1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required: Limux (For more information, see https://developers.pp.com/hp-linux-imaging-and-printing, Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Limux-For more information see http://developers.pp.com/hp-linux-imaging-and-printing, Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, Z GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray (60 to 163 g/m² Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet everpired; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing. Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. MacA Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet equired No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard Input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 G8 available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 G8 HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 G8 available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 G8 HD; Internet required No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C5; Envelope C6; Envelope C6; Envelope C7; Envelope C8; Envelope C9; E
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H)	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope C7; Envelope C7; Envelope C8; Envelope C8; Envelope C9; E
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Printer dimensions (W x D x H) Printer weight	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard Input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required: Linux (for more information see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Ward Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required No CD inbox (except Indonesia and China Gov) Downloadable Software from bp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5kg
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope C6; Envelope C1, Envelope C1, Envelope C3, Envelope C3, Envelope C6; Envelope C6; Envelope C6; Envelope C6; Envelope C7, E
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard Input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required: Linux (for more information see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Ward Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD; Internet required No CD inbox (except Indonesia and China Gov) Downloadable Software from bp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5kg
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C5; Envelope C6; Envelope C6; Envelope C7; Envelope C8; Envelope C8; Envelope C9; E
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope CS; Envelope CS; Envelope CS; Envelope CS; Envelope CD; ADP: A4; LTR; LGL Standard input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. MacA Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change HP Smart, HPSM, Web JetAdmin, admin.hpsmart.com Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5 kg Temperature: 15 to 32.5°C Humidity, 30 to 70% RH Temperature: 15 to 32.5°C Humidity, 30 to 70% RH
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	Postcard; Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope B5; Envelope C5; Envelope C6; Envelope D1. ADP: A4; LTR; LG1. Standard Input: 1 main tray; 250 sheets or 10 envelopes Standard output: 150 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required: Linux (for more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 R3 -bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. WacA Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required No CD inbox (except Indonesia and China Gov) Downloadable Software from bp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change Minimum 418.0 x 398.2 x 313.2 mm; Maximum: 426.8 x 758.8 x 475.5 mm 10.5kg Temperature 15 to 32.5°C Humidity, 30 to 70% RH Temperature -20 to 60°C Acoustic power emissions: 6.6 BlA) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A) Requirements: 110-volt input voltage: 110 to 127 VAX (+/- 10%), 60 Hz/50 Hz; 200-volt input voltage: 220 to 240 VAX (+/- 10%), 60 Hz/50 Hz; Consumption 435 watts (acide printing), 4.5 watts (seady), 1.31 watts (sleep), 0.06 watts (Manual Off), 0.0
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power	Postcard, Double Japan Postcard Rotated; Japanese Envelope Chou #3; Japanese Envelope Chou #4; Envelope C5; Envelope C5; Envelope C6; Envelope C7; Envelope C7; Envelope C7; Envelope C7; Envelopes: Up to 10 Maximum: Up to 1250 sheets output tray Tray 1: Sheets: up to 250; Envelopes: up to 10 Maximum: Up to 1250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: up to 10 Maximum: Up to 1250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: up to 10 Maximum: Up to 1250 sheets ADP: Standard, 50 sheets Standard: Up to 150 sheets Envelopes: up to 10 Maximum: Up to 150 sheets Microsoft **Indoor** 11, 10, 75 12; 32-bit or 64-bit, 2G available hard disk space, Internet connection, Microsoft* Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet Explorer or Edge. Mac Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v10.15 Catalina, macOS v10.15 Ca
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Certifications	Postand, Double Japan Postand Rotated, Japanese Envelope Chou #4, Envelope B5, Envelope C5, Envelope C1, ADP. A4, LTR, LGL Sandard Input. Timal tray, 250 Sheets or 10 envelopes. Standard output. 150 sheets output tray 50 to 163 g/m² Tray 1: Sheets: up to 250. Envelopes: up to 10 Maximum: Up to 250 sheets ADP. Standard, 50 sheets Standard, Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADP. Standard, 50 sheets Standard, Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 250 sheets ADP. Standard, 50 sheets Microsoft® Mindows® 11, 10, 7 SP1: 32-bit or 64-bit, 2. GB available hard disk space, internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey, 2 GB HD, Internet explored, Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing) Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing. Windows Server 2016 Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, internet connection, Microsoft® internet Explorer or Edge. Windows Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available Network part of the Post of t
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Certifications	Postancia Double Japan Postancia Rizotated: Japanese Envelope (Dou 34); Japanese Envelope (Exp. Envelope S); Envelope (S); Envel
Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power Certifications Sustainable impact specifications Country of origin	Postand, Double Japan Postand Rotated: Japanese Envelope (Dou Jas.), Japanese Envelope (Dou Jas.), Envelope S), Envelope C), Envelope C), Envelope C), Envelope C), Envelope C), Envelopes C), Description Communication Communica

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document
- ² Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁵ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart.
- ⁶ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- ⁷ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- ⁸ Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting
- HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

Technical specifications disclaimers

- 1 For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors
- ² Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- 3 Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

 4 Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 5 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
- ⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

















