

 **ink tank** benefit



Your 3-in-1 Refillable Ink Tank Printer

DCP-T580DW



PRINT



COPY



SCAN



WIRELESS

www.brother.com.au

Refill and save

Compact yet capable, the DCP-T580DW provides print, copy and scan functions with refillable ink tanks that slash running costs. Stay productive with up to 16ppm², automatic duplex printing and a 150-sheet tray. The super-high yield bottles deliver up to 7,500 black/5,000 colour pages¹ and keeps printing affordable. Dual-band WiFi, USB, and the Mobile Connect app means you're connected whenever you need it.

DCP-T580DW



Key features:

- Comes with 7,500 black, 5,000 colour page-yield⁴ ink bottles
- Print up to 16 pages per minute²
- Automatic 2-sided (duplex) print
- Dual-band Wi-Fi and USB connectivity
- Print from or scan to a PC or mobile app
- 150-sheet paper input tray, and a manual feed slot
- Replacement ink bottles (up to 7,500 black pages¹ / 5,000 colour pages¹)
- 2 year return-to-base warranty



Exceptional Value

Benefit from one of the lowest total cost of ownership in its class. Refill the tanks with the super high-yield ink bottles, delivering up to 7,500 black and 5,000 colour pages¹, slashing the cost per page for everyday printing or high-volume print jobs alike. Fewer replacements means fewer supply runs, giving you peace of mind and more money in your pocket.



Compact

Designed to keep your space yours, the DCP-T580DW fits on a bookshelf, sideboard, or study nook. It's low-profile and clutter-free, blending into the background until you need it.



EPS-free packaging

Our award-winning moulded pulp packaging replaces Expanded Polystyrene (EPS), offering durable, flexible protection for safe product delivery. By utilising fewer resources, it's more sustainable and easier to recycle.



Brother at your side

Wherever you are in Australia, Brother offers free Customer Care support for the lifetime of your product.



Efficient

Simplify your day with clutter free paper management. The easily accessible 150-sheet paper tray and manual feed slot allow you to use a wide range of paper types. Save time with print speeds of up to 16 pages² per minute and a blazing fast first page out time from 6.2 seconds³.



Simple to use and connect

Easily set up your device and take full control with the Brother Mobile Connect app. Print from your smartphone in the lounge, scan from your tablet in the study, easily check ink levels and access your documents anytime. With flexible connectivity options, including dual band Wi-Fi or USB, you're always connected, your way.

General			
Engine	Colour Inkjet	Scanner Speed	Flatbed: 3.35/4.38 secs @300dpi (Mono/Colour) In accordance with ISO/IEC17991 (A4)
Warranty	2 Years Return To Base	Scanner Resolution (Optical)	From Glass: Up to 1200 x 2400 dpi
Carton Contents	Printer, Quick Setup Guide, User's Guide, Power Cord, BTD180BK up to 95% / 7,500 pages, BTD180 C/M/Y up to 89% / 5,000 pages each¹	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi (Windows Only)
Display		Scanning Area	Flatbed: 214(W) x 295(L)mm
LCD Display	1-Line (16 characters)	Scanner Grey Scale	256 levels
Printer		Scan to Email Client	Yes
Standard Memory	128 MB	Scan to OCR	Yes
Print Speed	16/9 ppm (Mono/Colour: based on ISO/IEC 24734)	Scan to Image	Yes
2-sided print	Yes (Automatic)	Scan to File	Yes
2-sided print speed	7.0/5.0ppm	Network Scan	Windows/Mac
Emulation	GDI	Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 12-15 ⁵ Linux rpm, deb
Printer Resolution	1200 x 6000 dpi	Twain Compliant	Windows 11, Windows 10 (32&64bit)
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016 macOS 12-15 ⁵ Linux rpm, deb	Software	
First-out print time	6.2 secs/9.6 secs (Colour/Mono) (based on ISO/IEC 17629)	iPrintScan Desktop	Windows/Mac
Quiet Mode	Yes	N-up Printing	Windows/Mac
Recommended Monthly Print Volume	50 to 1,000 pages	Poster Printing	Windows only
Paper Handling		Header and Footer Printing	Windows only
Standard Paper Capacity	Up to 150 Sheets	Watermark Printing	Windows/Mac
Manual Feed Slot	Yes	Booklet Printing	Windows/Mac
Output Paper Capacity	Up to 50 sheets	Archive Printing	Windows only
Media Weights Paper Tray	64 - 220 gsm	Connectivity	
Media Weights Manual Feed Slot	64 - 300 gsm	Interface	Hi-Speed USB 2.0, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct
Media Weights Duplex	64 - 105 gsm	USB Interface	Hi-Speed USB 2.0
Media Size Paper Tray	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5inch), Mexico Legal, India Legal	Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11g/n
Media Size Manual Feed Slot	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5inch), Mexico Legal, India Legal	Wi-Fi Direct	Yes - Up to 4 connections
Media Size Duplex	PC Print A4/LTR/EXE/A5 Copy A4/LTR/A5	Networking	
Media Size Scanner Glass	Up to 216(W)/297(L)mm	Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)
Media Types Paper Tray	Plain, Inkjet, Glossy(cast/resin), Recycled	Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Media Types Manual Feed Slot	Plain, Inkjet, Glossy(cast/resin), Recycled	Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNr responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNMP Client, HTTP Server
Media Types Duplex	Plain, Recycled	Network Protocols IPV6	NDP, RA, mDNS, LLMNr Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNMP Client, ICMPv6, HTTP Server
Digital Copier		Network Management Utilities	
Copier Speed	11/3.5 ppm (Mono/Colour: based on ISO/IEC 29183)	Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management
First Copy Out Time	28.5/13 secs (Colour/Mono) (based on ISO/IEC 24735 Annex D)	Web Based Management	Yes
2 Sided Copy	Simplex Scan to Duplex Print	BRAdmin Professional	Windows only
Copier Resolution	Mono: (Print) Max. 1200x1800 dpi, (Scan) Max. 1200x1200 dpi Colour: (Print) Max. 1200x1800 dpi, (Scan) Max. 1200x600 dpi	Security	
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments	Wireless Security	SSL/TLS (IPPS, HTTPS)
Copier N-in-1	2 in 1, 2 in 1(ID) & 4 in 1	Wireless Security Protocols	SSID (32 chr), WEP 64/128bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only
Copier Poster	Yes (3x3)	IPv4-Filter	Yes
Copier Multi Sort	Yes	Mobile/Web Printing	
Copier Multi Stack	Up to 99 copies	Mobile Connect	iOS/Android
Digital Scanner		Airprint	Yes
Scanner Colour/Mono	Colour	Mopria	Yes
Scanner Colour Depth	30 bit input / 24 bit output colour	IPP Everywhere	Yes
Scanning Technology	CIS	Google ChromeOS	Print, Scan
		Android Print Service Plugin	Yes
		Mobile Applications	Print Service Plugin, Mobile Connect

Options		Environment	
Optional Paper	BP-71GA4 - 20 Sheets (260gsm) Glossy Paper (A4), BP-71GP20 - 20 Sheets (260gsm) Glossy Paper 6in x 4in, BP-60MA - 25 Sheets (145gsm) Matte Paper (A4), BP-60PA - 250 Sheets (72.5gsm) Plain Paper (A4)	Power Consumption	Copying Mode: Approx. 16W, Ready Mode: Approx. 2.5W, Sleep Mode: Approx. 0.6W, Networked Standby: Approx. 0.7W, Off: Approx. 0.15W
Consumables ¹		Sleep Mode	Yes - 20mins
Inbox Consumables	Approx. 95% / 7,500 pages of BTD180BK Approx. 89% / 5,000 pages of BTD180 C/M/Y	Power Save	Yes
High Yield Ink	BTD180BK up to 7,500 pages, BTD180 C/M/Y up to 5,000 pages each	Others	
Weights & Measures		Noise Level	Sound Pressure Level: (Printing) Less than 56 dBA
Size	390(W) x 343(D) x 148(H)mm		
Weight	6.7 kg		
Size with Carton	461(W) x 218(D) x 501(H)mm		
Weight with Carton	8.3 kg		

Disclaimers:

1. Page yield is calculated in accordance with ISO/IEC 24711. For additional page yield information, visit go.brother/pageyield
2. Print Speeds based on ISO/IEC 24734
3. FPOT (First Print Out Time) based on ISO/IEC 17629
4. The first time you use a set of ink bottles the machine will use an amount of ink to fill the delivery tubes. This process will only happen once. The amount of ink remaining will be approximately 7,125 pages¹ BK and 4,450 pages¹ CMY.
5. Via AirPrint or iPrint&Scan

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Itankbenefit

youtube.com/user/BrotherAU/videos

linkedin.com/company/brother-international-australia/



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

brother
at your side